

**Car No. = 01, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 02, Local, Master NON VIP**

Failed item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Remove filler on nose of body - will not make guage

Failed item 16. "Axle Mounting Plates, First plate may be epoxied to floorboard". Reason -> Replace top plate

---

**Car No. = 03, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 04, Local, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 15. "Axle Mounting Plates, AASBD issued. AASBD logo must be visible". Reason -> Does not meet 3" guage

Failed item 26. "Foot Brace, Required 3/4x3/4x3 inch minimum size". Reason -> Needs Foot Brace

Failed item 29. "Kingpins, 3-1/2" or 3-1/4" inch grade 8 and must be visible". Reason -> Missing top nut

---

**Car No. = 05, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 06, Local, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 4. "Outside Shell, Body fillers at seams, side of hatch and headrest only". Reason -> Sand inside nose to 1/8 "

Failed item 20. "Attachments, Cable clamps & eyebolts must be visible at axle without removal of any parts". Reason -> Cut bolts on mount

Failed item 23. "Brake Pedal, 3/4 inch plywood or pivot style brake". Reason -> Replace eye bolt on plunger

Failed item 29. "Kingpins, 3-1/2" or 3-1/4" inch grade 8 and must be visible". Reason -> Missing "N" washer

---

**Car No. = 07, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 08, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 09, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 10, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 11, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 12, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 13, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 14, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 15, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 16, Local, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 15. "Axle Mounting Plates, AASBD issued. AASBD logo must be visible". Reason -> Remove washer - does not meet 3"

---

**Car No. = 17, Local, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 16. "Axle Mounting Plates, First plate may be epoxied to floorboard". Reason ->

Failed item 26. "Foot Brace, Required 3/4x3/4x3 inch minimum size". Reason -> Must be bolted through floor with bolts

Failed item 28. "Logo and Date, Axle Logo and date must be visible". Reason -> Front & rear does not meet 3"

---

**Car No. = 18, Local, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 9. "Hinge, AASBD issued". Reason -> Remove paint

Failed item 16. "Axle Mounting Plates, First plate may be epoxied to floorboard". Reason -> Cut bolts

Failed item 23. "Brake Pedal, 3/4 inch plywood or pivot style brake". Reason -> take slack out of cable

Failed item 30. "Foil, AASBD issued". Reason -> Not attached correctly

---

**Car No. = 19, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 20, Local, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 15. "Axle Mounting Plates, AASBD issued. AASBD logo must be visible". Reason -> Remove & replace bolts on front & rear

Failed item 20. "Attachments, Cable clamps & eyebolts must be visible at axle without removal of any parts". Reason -> wooden block can only have 1 screw - remove one of the screws

---

**Car No. = 21, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 22, Local, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 9. "Hinge, AASBD issued". Reason -> Fix sharp bolts

Failed item 20. "Attachments, Cable clamps & eyebolts must be visible at axle without removal of any parts". Reason -> Remove washer so nylon nut is flush

Failed item 23. "Brake Pedal, 3/4 inch plywood or pivot style brake". Reason -> Replace eye bolt on plunger

---

**Car No. = 23, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 24, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 25, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 26, Local, Master VIP But the following will be checked after shell**

**installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 27, Local, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 20. "Attachments, Cable clamps & eyebolts must be visible at axle without removal of any parts". Reason -> Cut all long bolts

Failed item 26. "Foot Brace, Required 3/4x3/4x3 inch minimum size". Reason -> Drill - must be able to see logo

Failed item 33. "Adjustable, 10 pounds minimum (with wing nuts)". Reason -> paint weights

---

**Car No. = 28, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 29, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 30, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 31, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 32, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 33, Local, Master VIP But the following will be checked after shell**

**installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = 34, Local, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!