

**Car No. = R501, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R502, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R503, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R504, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R505, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R507, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R508, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R509, Rally, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 16. "Axle Mounting Plates, First plate may be epoxied to floorboard". Reason ->

does not meet 3" front & rear Nut must be flush

Failed item 30. "Foils, AASBD issued". Reason -> Does not match contour - replace r/r & l/r

---

**Car No. = R510, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R511, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R512, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R513, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R514, Rally, Master NON VIP**

Failed item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Sand inside of nose of body to 18"

Failed item 12. "Foam, AASBD issued foam, 6 inches of foam in front of face". Reason -> Replace

Failed item 13. "Shape, No alterations". Reason -> Replace floorboard

Failed item 16. "Axle Mounting Plates, First plate may be epoxied to floorboard". Reason -> Does not meet 3" - Rear axle bowed wrong way/turn over

Failed item 17. "Kingspins, AASBD issued kingspins and bushings only". Reason -> Too many washers

Failed item 24. "Brake Facing, New AASBD brake pad installed". Reason -> Replace eye bolt & brake pad

---

**Car No. = R515, Rally, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 9. "Hinge, AASBD issued". Reason -> CUT BOLTS

Failed item 20. "Attachments, Cable clamps & eyebolts must be visible at axle without removal of any parts". Reason -> Cut bolts

Failed item 26. "Foot Brace, Required 3/4x3/4x3 inch minimum size". Reason -> Add brace

Failed item 27. "Date, 2004 to present". Reason -> Sand Axles F 2008 R 2008

---

**Car No. = R516, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R517, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R518, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R519, Rally, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 13. "Shape, No alterations". Reason -> Replace floorboard

Failed item 24. "Brake Facing, New AASBD brake pad installed". Reason -> Replace

Failed item 25. "Brake Hinge, AASBD issued". Reason -> Replace eye bolts

Failed item 30. "Foil, AASBD issued". Reason -> Replace Front & rear

---

**Car No. = R520, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R521, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R523, Rally, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 29. "Kingspins, 3-1/2" or 3-1/4" inch grade 8 and must be visible". Reason -> Add "N" washer

---

**Car No. = R524, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R525, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R526, Rally, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 16. "Axle Mounting Plates, First plate may be epoxied to floorboard". Reason -> To much expoixi on mounting plates

---

**Car No. = R527, Rally, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 4. "Outside Shell, Body fillers at seams, side of hatch and headrest only". Reason -> Remove extra filler on inside hatch

Failed item 15. "Axle Mounting Plates, AASBD issued. AASBD logo must be visible". Reason -> Cut bolts

Failed item 26. "Foot Brace, Required 3/4x3/4x3 inch minimum size". Reason -> Needs foot brace

---

**Car No. = R528, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R529, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R530, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R531, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R532, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R533, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R534, Rally, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 9. "Hinge, AASBD issued". Reason -> Smooth bolts

Failed item 16. "Axle Mounting Plates, First plate may be epoxied to floorboard". Reason -> Front & Rear axels does not meet the 3"

Failed item 26. "Foot Brace, Required 3/4x3/4x3 inch minimum size". Reason -> Needs to be drilled

Failed item 28. "Logo and Date, Axle Logo and date must be visible". Reason -> Front axel needs to be turned over

---

**Car No. = R535, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R536, Rally, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after

body installed !!

Failed item 9. "Hinge, AASBD issued". Reason -> cut bolts smooth

Failed item 15. "Axle Mounting Plates, AASBD issued. AASBD logo must be visible". Reason -> missing nuts/lock washer

Failed item 21. "Turning Radius, 3/8 inch minimum, 1 inch maximum each direction". Reason -> No stops

Failed item 33. "Adjustable, 10 pounds minimum (with wing nuts)". Reason -> Remove 2 bolts in center "U" weight

---

**Car No. = R537, Rally, Master NON VIP**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

Failed item 7. "Helmet Cutout, 7 inches wide to first rivet". Reason -> remove fiberglass/filler from head rest area

Failed item 20. "Attachments, Cable clamps & eyebolts must be visible at axle without removal of any parts". Reason -> Tighten cable

Failed item 23. "Brake Pedal, 3/4 inch plywood or pivot style brake". Reason -> replace eye bolts on plunger

---

**Car No. = R538, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R539, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R540, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R541, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R544, Rally, Master VIP But the following will be checked after shell**

**installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R545, Rally, Master NON VIP**

Failed item 1. "Girth, 36-1/2 inches minimum, at hatch hinge". Reason -> Sand inside to 1/8"  
item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!

---

**Car No. = R546, Rally, Master VIP But the following will be checked after shell installation**

item 2. "Nose Height, 8-1/2 inches high, 4-1/2 inches back minimum". Reason -> Check after body installed !!